


# Practical details: S 3000 EVOLO

For additional furnishing examples from a market leader, please see the Evolo fire service lockers brochure or our website at [www.cp.de/evolo](http://www.cp.de/evolo)



**Foldable helmet holder:**  
made of glass-fiber reinforced plastic, for better protection of the helmet by the curved support and practical folding function for easier removal.



**Hook rail on the side:**  
With three additional sliding stainless steel hooks, for example for safety harness, respirator mask, etc.



**C+P double coat hooks:**  
Oval special changing room rail with twist-proof double sliding hooks. Can support a large load and is very easy to use, with system holder, e.g., for coat hangers or a movable partition.



**Optimum corrosion protection thanks to optional feet made of plastic:**  
They consistently underpin the linear design and have a protective sleeve that covers the adjusting screw when the optional height adjustment is used. An ingenious feature!



**Security compartment with additional top shelf:**  
Important details on model 48315: The security compartment door does not project beyond the housing when opened, thus keeping the passageway clear (= safety even during hectic changing situations).

# Fire service lockers



**Fire service lockers**  
Compartment width 500 mm... 190



**Fire service lockers**  
Compartment width 400 mm... 191



**Fire service lockers**  
with helmet holder  
on locker roof ..... 192



**Fire service  
combination locker**..... 194



**Fire service wardrobes**..... 195



**Step tread with top handle:**  
For easy access of the helmet holder on top of the locker for shorter people.



**Shoe tray:**  
The shoe tray collects dirty water and foreign objects from the bottom of shoes and protects the locker from damage. Cleaning is no problem thanks to its easy removal.



**Special combination lock:**  
With scrambling and master key function to keep valuables and personal items safely locked away.

# S 3000 EVOLO



## The S 3000 Evolo fire service lockers offer:

- Sturdy steel construction with high-quality enamel coating
- Choice of different dimensions and compartment widths
- Many sub-frame options customized to specific requirements
- Security compartment (door does not project beyond the housing)
- Combination lock with master key and scrambling function
- Adjustment screws, level adjustable from the inside
- **Optional: locker feet made of plastic = increased protection against corrosion of the locker!**
- Practical accessories, proven under operating conditions



Adjustment screws, level adjustable



Sub-frame with feet, optional




Recessed security compartment



Special helmet holder, foldable



Combination lock



Different compartment widths

Order no. 48315-13  
+ 48015-711L  
(combination lock)



## Fire service lockers

**Compartment width 500 mm**, with the following equipment: foldable helmet holder inside on the top right, storage shelf or optionally security compartment inside on the top left. Sturdy wardrobe rail made of oval profile below with 4 twist-proof sliding hooks, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly.

Internal dimensions of helmet compartment:  
320 x 250 (H x W)

Internal dimensions from wardrobe rail to bottom of locker:  
1360 x 445 x 565 mm (H x W x D)

**Height 1850 mm**  
**Depth 600 mm**



### 1. Dimensions and design

open compartment





Width	520	1010	1500
Compartments	1 x 500	2 x 500	3 x 500
CSC	4	6	8
Order no.	<b>48315-131</b>	<b>48315-231</b>	<b>48315-331</b>
Price			

## Lockers with security compartment

with cylinder lock and 2 keys (combination lock for additional charge)

Interior dimensions of security compartment:  
155 x 125 x 320 mm (H x W x D)



### 1. Dimensions and design

with security compartment



Width	520	1010	1500
Compartments	1 x 500	2 x 500	3 x 500
CSC	4	6	8
Order no.	<b>48315-13</b>	<b>48315-23</b>	<b>48315-33</b>
Price			

### 2. Body color (fire red RAL 3000 for no addtl. charge)



Please select (see end of catalog for color overview)..... 487



# Fire service lockers



+ **Feet**  
Plastic version,  
150 mm high,  
height-adjustable  
by approx. 10 mm  
(4 pieces)



Color	<b>Black</b>
Locker height	2000
+ Order no.	+ 4800-70251
+ Addtl. charge	

Order no. 48215-22  
+ 4800-70251 (feet made of plastic)  
+ 2x 48015-711R (combination lock)



## Fire service lockers

**Compartment width 400 mm**, with the following equipment: security compartment on top, below that phenolic HPL shelf in black with foldable helmet holder. Sturdy wardrobe rail made of oval profile below with 3 twist-proof sliding hooks, hook strip with 3 movable hooks for safety harness, etc. on the side, bottom can be swept out smoothly.

Internal height of the helmet compartment:  
300 mm

Internal dimensions from barre  
porte-manteau to bottom of locker:  
1130 x 330 x 465 mm (H x W x D)

**Height 1850 mm**  
**Depth 500 mm**






1. <b>Dimensions and design</b>	Width	<b>420</b>	<b>810</b>	<b>1200</b>	<b>1590</b>
	Compartment		1 x 400	2 x 400	3 x 400
open compartment	CSC	3	5	6	8
	Order no.	<b>48215-121</b>	<b>48215-221</b>	<b>48215-321</b>	<b>48215-421</b>
	Price				

## Lockers with security compartment

with cylinder lock and 2 keys as well as  
insertion slot (H 25 x W 195 mm) above the  
door (combination lock for additional charge)

Interior dimensions of security compartment:  
200 x 288 x 435 mm (H x W x D)



1. <b>Dimensions and design</b>	Width	<b>420</b>	<b>810</b>	<b>1200</b>	<b>1590</b>
	Compartment		1 x 400	2 x 400	3 x 400
with security compartment	CSC	3	5	6	8
	Order no.	<b>48215-12</b>	<b>48215-22</b>	<b>48215-32</b>	<b>48215-42</b>
	Price				

## + Accessories

Additional fittings, combination lock ..... 193

**Fire service lockers**


**Compartment width 400 mm**, with the following equipment: foldable helmet holder on the locker roof (delivered separately, for easy DIY assembly), one open compartment inside at the top, optionally with security compartment with insertion slot, additional storage shelf optional. Sturdy wardrobe rail made of oval profile below with 3 twist-proof sliding hooks, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly.

**+ Feet**  
Plastic version, 150 mm high, height-adjustable by approx. 10 mm (4 pieces)

Color	Black
Total height with helmet holder	2185
Locker height	2000
+ Order no.	+ 4800-70251
+ Addtl. charge	



**Total height with helmet holder 2035 mm**  
**Locker height 1850 mm**  
**Depth 500 mm**



**1. Dimensions and design**


Width	420	810	1200	1590
Compartments	1 x 400	2 x 400	3 x 400	4 x 400



open compartment	3	5	6	8
CSC				
Order no.	48015-121	48015-221	48015-321	48015-421
Price				

**Lockers with security compartment**

with cylinder lock and 2 keys as well as insertion slot (H 25 x W 195 mm), combination lock for additional charge  
Interior dimensions of security compartment: 200 x 288 x 435 mm (H x W x D)



**1. Dimensions and design**


Width	420	810	1200	1590
Compartments	1 x 400	2 x 400	3 x 400	4 x 400



with security compartment	3	5	6	8
CSC				
Order no.	48115-12	48115-22	48115-32	48115-42
Price				

**Lockers with security compartment and other compartment**

with cylinder lock and 2 keys as well as insertion slot (H 25 x W 195 mm), below that open compartments, combination lock for additional charge  
Interior dimensions of security compartment: 200 x 288 x 435 mm (H x W x D)



**1. Dimensions and design**

Width	420	810	1200	1590
Compartments	1 x 400	2 x 400	3 x 400	4 x 400



with security compartment + other compartment	3	5	6	8
CSC				
Order no.	48015-12	48015-22	48015-32	48015-42
Price				

**2. Body color (fire red RAL 3000 for no addtl. charge)**

Please select (see end of catalog for color overview) ..... **487**

**+ Accessories**

Additional fittings, combination lock ..... see right

# Accessories for fire service lockers

**+ Step tread**  
with additional top handle  
(wall mount required), additional  
charge per compartment

Design	<b>Aluminum</b>
+ Order no.	+ 48015-770
+ Addtl. charge	



Order no. 48115-22  
+ 4800-70251 (feet made of plastic)  
+ 2x 48015-770 (step tread including handle)  
+ 2x 48015-711R (combination lock)



## Individual helmet holder

Foldable, made of black gray plastic  
Price per unit

+ Order no.	+ 8501-011
+ Price	

## Combination lock in the security compartment

With scrambling option as well as emergency opening and code finding by means of master key

Door hinged	<b>on left</b>	<b>on right</b>
+ Order no.	+ 48015-711L	+ 48015-711R
+ Addtl. charge		

## Master key

for combination lock 48015-711L/R

+ Order no.	+ 48015-713
+ Addtl. charge	

## Shoe tray, black

made of plastic, for compartments W 400 and 500 mm, easy to adapt, price per compartment

+ Order no.	+ 4800-707
+ Addtl. charge	


## Electrolytically zinc-plated, enamel-coated design

per compartment

Design	<b>zinc-plated</b>
+ Order no.	+ 8000-20
+ Addtl. charge	

## Special coat hanger

Special coat hangers with drying function (also for interiors), made of plastic, black, in bulk




+ Order no.	+ 8078-713
+ Addtl. charge	



Feet made of plastic



Step tread with top handle and shoe tray



Combination lock



Special coat hanger

**The S 3000 Evolo  
fire service combination locker  
and fire service wardrobes offer:**

- Sturdy steel construction with high-quality enamel coating
- Tried and tested open compartments or locker intermediate parts with well thought-out equipment solutions for professional storage of fire service equipment
- Double-tier compartments with doors for safe storage of **street clothes and personal items**
- Doors hinged on the right, borne on bolt hinges, shortened at top for slot, valuables compartment on the door inside behind it
- Convenient doorstop silencer for pleasant closing behavior
- Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- Cabinets and wardrobes level adjustable from the inside thanks to adjustment screws
- **Optional: locker feet made of plastic = increased protection against corrosion of the locker!**
- Practical accessories, proven under operating conditions



Order no. 48615-000  
+ 4800-70251 (feet made of plastic)  
+ 2x 48015-770 (step tread including handle)

**Fire service combination locker**


**Open compartments, compartment width 400 mm**, with the following equipment: foldable helmet holder and shelf inside at the top. Sturdy wardrobe rail made of oval profile below with 2 twist-proof sliding hooks and 2 special coat hangers, hook rail on the side with 3 sliding hooks for safety harness, etc., bottom can be swept out smoothly.

**Closed double-tier compartment, compartment width 300 mm**, with the following equipment: Doors shortened at top for insertion, safe behind on the inside of the door and sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks.


Internal height of the helmet compartment:  
300 mm

Clear opening dimensions per door:  
813 x 230 x 465 mm (H x W x D)

**Height 1850 mm, depth 500 mm**



Doors shortened at the top for slot



Special coat hanger

**1. Dimensions and design**



Width	<b>1100</b>
for people	2
CSC	6
Order no.	<b>48615-000</b>
Price	


**2. Body and door color (fire red RAL 3000 for no addtl. charge)**



Please select (see end of catalog for color overview) ..... **487**

**+ Step tread with additional top handle (wall mount required), additional charge per compartment**

Design	<b>Aluminum</b>
+ Order no.	+ 48015-770
+ Addtl. charge	





# Fire service wardrobes

**+** **Feet**  
Plastic version,  
150 mm high,  
height-adjustable  
by approx. 10 mm,  
additional charge  
per locker (4 pieces)



Color	<b>Black</b>
Locker height	2000
+ Order no.	+ 4800-70251
+ Addtl. charge	



Order no. 48415-012  
+ 2x 4800-70251 (feet made of plastic)



## Fire service wardrobes

**Double-tier lockers, compartment width 300 mm,** with the following equipment: Doors shortened at the top for slot, behind that collection box on the door inside, sturdy wardrobe rail made of oval profile with 3 twist-proof sliding hooks.

**Locker intermediate parts**  
see description in the chart

Clear opening dimensions per door:  
1600/813 x 230 x 465 mm (H x W x D)

**Height 1850 mm, depth 500 mm**



### 1. Dimensions and design

Width for people	1260	1880
Description of the lockers	2	4
	<b>2x locker and locker intermediate parts</b> with the following equipment: 2 foldable helmet holders and 1 shelf at the top, below that 1 wardrobe rail with 2 special coat hangers and 2 hooks, 1 zinc-plated shoe shelf at the bottom	<b>2x locker double-tier and locker intermediate parts</b> with the following equipment: 4 foldable helmet holders and 1 shelf at the top, below that 1 wardrobe rail with 4 special coat hangers and 4 hooks, 1 zinc-plated shoe shelf at the bottom
Steel doors	6	6
Order no.	<b>48415-012</b>	<b>48415-024</b>
Price		

### 2. Body and door color (fire red RAL 3000 for no addtl. charge)

Please select (see end of catalog for color overview) ..... **487**

### + Additional accessories

Upgrade available, individual helmet holder, shoe tray ..... **193**



# S 3000 EVOLO

## Laundry collecting and dispensing lockers

**+ Laundry bags**  
made of 100% polyester,  
with 4 hanging loops,  
Packaging unit:  
5 pieces



Design

White

+ Order no.

+ 48270-7015

+ Addtl. charge



Order no. 48060-205



Order no. 48170-210

### Lockers with feet

on feet 150 mm high, depth 500 mm

**Attention!** Locker with integrated slope (order no. 8000-38) not possible

#### 1. Dimensions and design

Width	420	420	810	810	420
Height	1850	1850	1850	1850	1850
Doors	5	10	10	20	1
Clear opening dimensions	per door 269 x	per door 126 x	per door 269 x	per door 126 x	per swing flap 282 x
H x W x D	251 x 475	251 x 475	295 x 475	295 x 475	270 x 475

Description

**Laundry dispensing lockers**  
with central door by which the entire column of compartments can be opened at once (e.g. for loading). Compartments and central doors with cylinder lock and 2 keys, longer delivery time

**Laundry collecting lockers**  
one swing flap at the top in the hinged door, hinged door with cylinder lock and 2 keys. Laundry bag retaining hooks inside

Steel doors

CSC

Order no.

Price

6  
**48060-105**

7  
**48060-110**

8  
**48060-205**

8  
**48060-210**

6  
**48070-210**

### Lockers with base

on base 100 mm high, depth 500 mm

**Attention!** Locker with integrated slope (order no. 8000-38) not possible

#### 1. Dimensions and design

Width	420	420	810	810	420
Height	1800	1800	1800	1800	1800
Doors	5	10	10	20	1
Clear opening dimensions	per door 269 x	per door 126 x	per door 269 x	per door 126 x	per swing flap 282 x
H x W x D	251 x 475	251 x 475	295 x 475	295 x 475	270 x 475

Description

see above

see above

Steel doors

CSC

Order no.

Price

6  
**48160-105**

7  
**48160-110**

8  
**48160-205**

8  
**48160-210**

6  
**48170-210**

#### 2. Body and door color (see end of catalog for color overview)



Please choose ..... 487

#### + Accessories

Additional fittings, locks ..... 81 - 85



Order no. 48010-1210




## The S 3000 Evolo laptop lockers offer:

- The solution for the secure and space-saving storage of 10 or 20 laptops, notebooks, or tablets
- Optionally with power connection in each compartment (installation position always on the left, incl. cabinet connection cable)
- Sturdy steel construction with high-quality enamel coating
- Sub-frame alternatively with feet or base
- Door mounted on a sturdy swivel-rod hinge on the right
- Each door with cylinder lock and 2 keys
- Convenient doorstop silencers for pleasant closing behavior




Sub-frame with feet



Sub-frame with base





Steel fronts



Electrification (optional)

## Lockers with feet

on feet 150 mm high, depth 500 mm.  
Clear opening dimensions per door:  
148 x 330 x 478 mm (H x W x D)



### 1. Dimensions and design



Width	<b>420</b>	<b>810</b>
Height	1850	1850
Compartments	1 x 400	2 x 400
Compartments	10	20
CSC	6	8
Order no.	<b>48010-1210</b>	<b>48010-2210</b>
Price		

Steel doors



## Lockers with base

on base 100 mm high, depth 500 mm.  
Clear opening dimensions per door:  
148 x 330 x 478 mm (H x W x D)



### 1. Dimensions and design

Width	<b>420</b>	<b>810</b>
Height	1800	1800
Compartments	1 x 400	2 x 400
Compartments	10	20
CSC	6	8
Order no.	<b>48020-1210</b>	<b>48020-2210</b>
Price		

Steel doors



### + Electrification of all compartments\*

Each compartment with 1 earthed socket 230V

+ Order no.	+ 4800-1210	+ 4800-2210
+ Addtl. charge		

\* For sockets to be used outside of Germany, please indicate the country of use (e.g. CH/Switzerland) and ask about prices

### 2. Body and door color (see end of catalog for color overview)

Please choose ..... **487**

### + Accessories

Additional fittings, locks ..... **81** - **85**

## Space-saving lockers, safe deposit box and small compartment lockers

### Space-saving lockers

in sturdy, high-quality design, all doors hinged with sturdy strap hinges, cylinder lock standard with 2 keys, 1 shelf inside at the top, wardrobe rail with 2 hooks below it, compartment width only 150 mm, **depth 500 mm**



#### 1. Dimensions and design

Width	<b>620</b>	<b>920</b>	<b>1220</b>
Height	1950	1950	1950
Compartments	4	6	8
Clear opening dimensions H x W x D	per door: 1825 x 105 x 460		
CSC	5	6	7
Order no.	<b>8170-402</b>	<b>8170-602</b>	<b>8170-802</b>
Price			





#### + Accessories

Door opening limiter, only for space-saving lockers..... **47**

### Small compartment lockers with base

every compartment with cylinder lock and 2 keys, base in color of the body, **depth 200 mm**



#### 1. Dimensions and design

Width	<b>460</b>	<b>460</b>
Height	1950	1950
Compartments	30	20
Clear opening dimensions H x W x D	98 x 190 x 180	158 x 190 x 180
CSC	9	8
Order no.	<b>80700-201</b>	<b>80700-203</b>
Price		



### Small compartment lockers wall-mounted

every compartment with cylinder lock and 2 keys, **depth 200 mm**



#### 1. Dimensions and design

Width	<b>460</b>	<b>460</b>
Height	770	770
Compartments	12	8
Clear opening dimensions H x W x D	98 x 190 x 180	158 x 190 x 180
CSC	5	5
Order no.	<b>80700-231</b>	<b>80700-233</b>
Price		



Order no. 80700-203

#### 2. Body and door color



Please select (see end of catalog for color overview) ..... **487**





Order no. 8170-602

All spacing-saving lockers and safe deposit box lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth approx. 480 mm)



Order no. 8170-311

### Safe deposit box lockers

with 1, 2 or 3 x 11 compartments, doors shortened (e. g. for letter drop) with label holder made of plastic and cylinder lock with 2 keys, locker on black gray base, depth 500 mm





#### 1. Dimensions and design

	320	620	920
Width	320	620	920
Height	1950	1950	1950
Compartments	11	22	33
Clear opening dimensions H x W x D	with door closed: 23 x 250 x 460, with door open: 150 x 230 x 460		
CSC	7	9	11
Order no.	8170-111	8170-211	8170-311
Price			



Order no. 8170-111



	460	460
Width	460	460
Height	1130	1130
Compartments	18	12
Clear opening dimensions H x W x D	98 x 190 x 180	158 x 190 x 180
CSC	7	7
Order no.	80700-221	80700-223



Number plates optionally available, see page 182

All small-compartment lockers (including the model with base) are intended for wall mounting due to their depth. Customer must provide accessories for wall mounting suitable for the respective walls.

#### + Accessories

Additional fittings, locks ..... 48 - 51